

INDEX MAPS. **T. 6 S R. 11 W. 2^d Mer.**

Measure Page 464

	470	470	470	470	469	469	
471	6	455 5	454 4	453 3	453 2	449 1	447
	456	456	455	454	453	449	
471	7	456 8	456 9	455 10	454 11	449 12	447
	457	457	458	458	458	450	
471	18	460 17	459 16	459 15	459 14	450 13	447
	460	460	461	461	459	450	
472	19	462 20	462 21	461 22	461 23	450 24	468
	462	463	463	463	457	457	468
472	30	464 29	464 28	464 27	452 26	25	
	465	465	466	466	452		
472	31	465 32	466 33	466 34	452 35	36	
	448	448	448	447	453		

OHIO R.

T. 7 S R. 11 W. 2^d Mer.

Measure Page 464

	495	494	494	494	494		
495	6	477 5	476 4	475 3	2	1	
	479	477	476	475			
496	7	479 8	477 9	475 10	11	12	
	479	480	478	476			
496	18	480 17	484 16	478 15	14	13	
	480	488	489	484	478	478	
496	19	20	489 21	485 22	482 23	24	
			489	489	485	482	482
30	29	490 28	486 27	485 26	483 25		
		490	490	487	486	483	
31	32	491 33	491 34	486 35	483 36		
		488	488	487	487	483	

OHIO R.

The figures on the lines refer to the page.

Township N. 6. South of the Range. N. 11. West of the 2nd Mer.
East. Boundary,

South South On the Range line Sec 1,

12. 45 To a B. Oak 22 in? diam? stands in the line.
16. 00 To a Branch 3. lks. wide. Course S. 45. W.
40. 00 Set a Post for the bar. to 1/4 Sec. from which a B. Oak 22.
in? diam? bears S. 54. E. 45. lks. dist? & a Sycamore 7 in?
diam? bears S. 72. 30 W. 30. lks. dist?
63. 75 To a Branch 10. lks. wide. Course S. 30. E.
80. 00 To the Mile Post. from which a Gum 16 in? diam? bears
S. 69. W. 53. lks. dist? & an O. Oak 7 in? diam? bears N. 45.
W. 49. lks. dist? Gen Ridges. Timber. Oak. & Hickory;

South On the Range line Sec 12,

6. 00 To an O. Oak 16 in? diam? which stands in the line
40. 00 Set a Post for the bar. to 1/4 Sec. from which a Gum 8 in? in
diam? bears S. 14 W. 14. lks. dist? & a Gum 12 in? diam?
bears N. 65. E. 12. lks. dist?
46. 47 To a W. Oak 24 in? diam? stands in the line.
70. 00 To a Branch 6. lks. wide. Course E.
80. 00 To the Mile Post. from which an O. Oak 14 in? diam? bears
N. 70. W. 44. lks. dist? & a Gum 13 in? diam? bears S. 35. W.
42. lks. dist? Gen Ridges. Timber. Oak. Gum. & Hickory.

South Range line. Sec 13, Jan'y. 7. 1806.

23. 25 To Pigeon Creek. 278. lks. wide. Course N. 60. W.
Jan'y 7. 14. 1806. Observations across Pigeon from S side.
N. to a Post in the line. N. 61. W. 1. 67. ~ N. 37. 20. E. to the post.
40. 00 Set a post. for the bar. to 1/4 Sec. from which a Hickory 10 in?
diam? bears S. 79. W. 31. lks. dist? & a O. 16 in? diam? bears
South 21. lks. dist?
46. 20 To a Hickory 14 in? diam? which stands in the line.
77. 69 To a Branch 6. lks. wide. Course S. 50. E.
80. 00 To the Mile Post from which a W. Oak 18 in? diam? bears
N. 4. W. 23. lks. dist? & a W. Oak. 12 in? diam? bears S. 70.
W. 75. lks. dist? Gen Land. Timber. Oak. & Hickory.

West Co. S Boundary 34. On the Tenn line

T. No 6. S. Co. N. M. W. 2nd Mer.

22. 30 To a Branch 50. lbs. wide. Course S 45. W.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a W. Oak 2 1/4 in.
 diam. bears N. 72. E. 11 lbs. dist. 1/2 a W. Oak 23. in. diam.
 bears N. 18. E. 43. lbs. dist.
 43. 50 To the Post Road.
 62. 50 To a Branch 20. lbs. wide. Course S.
 65. 00 Over hilly ground to the Mile Post.
 80. 00 To the Mile Post from which a W. Oak 12. in. diam. bears
 S 76. E. 66. lbs. dist. 1/2 a Poplar 12. in. diam. bears S 72. W. 17.
 lbs. dist. Timber. Oak. Poplar. & Hickory.
-

West On the Town line of Sec. 33.

10. 00 To a Branch 6. lbs. wide Course S 20. E.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a W. Oak 14. in.
 diam. bears S 81. W. 38. lbs. dist. 1/2 a W. Oak 20. in. diam.
 bears N. 39. W. 38. lbs. dist.
 80. 00 To the Mile Post from which a Poplar 18. in. diam.
 bears S 85. E. 24. lbs. dist. 1/2 a Poplar 12. in. diam. bears S.
 25. W. 34 lbs. dist. Ridgely Land. Timber. Oak. & Poplar.
-

West On the Town line of Sec. 32.

18. 88 To a Branch 20. lbs. wide. Course S 50. E.
 40. 00 Set a Post the Cor. to 1/4 Sec. from which a W. Oak 15. in.
 diam. bears S 31. E. 7. lbs. dist. 1/2 a Gum 8. in. diam. bears
 N. 20. W. 24. lbs. dist.
 80. 00 Mile Post from which a Poplar 14. in. diam. bears S.
 58. W. 7. lbs. dist. 1/2 a Poplar 22. in. diam. bears S 3 1/4 E.
 28. lbs. dist. Oak. Poplar. & Sugar tree Ridges.
-

West On the Town line of Sec. 31. Jun^y 17. 1806.

38. 00 To a Branch 12. lbs. wide. Course S 40. W.
 40. 00 Set a 1/4 Sec. Post from which a Sugar. 13. in. diam. bears N. 46.
 E. 16. lbs. dist. 1/2 a W. Oak 30. in. diam. bears N. 11. E. 25. lbs. dist.
 45. 62 To a Branch 6. lbs. wide. Course S.
 68. 00 To a Do. 12 " " " S.
 72. 75 To a Do. 6. " " " S.

T. N. 6. S. R. N. 11. W. 2nd Mer.

109. 25 Intersected 900 lbs. N. of the Town Cor. Oak. Poplar. Sugar. Hick.

South Between Sec. 1. & 2. T. N. 6. S. R. N. 11. W.

10. 00 To a Branch 25 lbs. wide. Course E.

37. 25 To a Red Oak 18. in? diam? which stands in the line.

40. 00 Set a Post for the Cor. to 1/4 Sec. from which an O. Oak 18. in? in diam? bears N. 20. W. 21. lbs. dist? Jan O. Oak 12. in? diam? bears S. 41. W. 15. lbs. dist?

58. 12 To an O. Oak 13. in? diam? which stands in the line.

73. 00 To a Branch 6. lbs. wide. Course S. 35. E.

80. 00 To the Mile post set for the Cor. to Sec. 1. 2. 11. & 12, from which a W. Oak 13. in? diam? bears N. 8. E. 31. & a W. Oak 12. in? in diam? bears N. 55. W. 27. lbs. dist? Land level. & Met.

Timber. Oak. Gum. Poplar. & Ash.

East Between Sec. 1. & 12. T. N. 6. S. R. N. 11. W.

114. 50 To a Branch 50 lbs. wide. Course S. 60. W.

15. 00 To the Port Road.

40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Gum 16. in? in diam? bears N. 56. W. 29. lbs. dist? Jan Ash 20. in? diam? bears S. 55. E. 28. lbs. dist?

50. 00 Ridgway to the Port.

80. 00 Intersected the N. & S. line 40. lbs. S. of the Post set for the Cor. to Sec. 1 & 12. The first 50. chains is level & Met.

Timber. Oak. Gum. & Hickory.

South Between Sec. 11. & 12. T. N. 6. S. R. N. 11. W. 2nd Mer.

8. 50 To a Branch 50 lbs. wide; Course W.

10. 75 To a Hickory 16. in? diam? stands in the line.

19. 50 To the Port Road.

40. 00 Set a Post for the Cor. to 1/4 Sec. from which an Ash 12. in? diam? bears S. 33. E. 10. lbs. dist? Jan Ash 8. in? diam? bears N. 19. E. 9. lbs. dist?

60. 88 To an O. Oak 22. in? diam? stands in the line.

80. 00 To the Mile post set for the Cor. to Sec. 11. 12. 13. & 14. from which a W. Oak 14. in? diam? bears N. 71. W. 53. lbs. dist?

T. C. S. Co. No. 11. M. 2nd Mv.

To a M. Oak 18. in. diam. bears S. 70. E. 29. lbs. dist. Sand
Bottom & Wet. Timber. Oak. Gum & Hickory.

- East Between Sec. 12. & 13. T. C. S. Co. No. 11. M.
10. 00 To a Post. for the Cor. to 1/4 Sec. from which a M. Oak 22. in. diam. bears N. 50. E. 25. lbs. dist. & a M. Oak 10. in. diam. bears S. 32. W. 46. lbs. dist.
50. 00 Intersected the N. & S. line 45. lbs. S. of the Post.
Good Sand; Timber. Oak & Hickory

- South Between Sec. 13. & 14. T. C. S. Co. No. 11. M.
21. 38 To a M. Oak 16. in. diam. which stands in the line.
26. 50 To a Branch 50. lbs. wide. Course S. 35. E.
40. 00 To a Post. for the Cor. to 1/4 Sec. from which a Gum 18. in. diam. bears N. 25. E. 11. lbs. dist. & an Ash 12. in. diam. bears N. 35. W. 29. lbs. dist.
40. 50 Over high ground to the Post.
80. 00 To the Mile Post 516 for the Cor. to Sec. 13. 14. 23. & 24. from which a M. Oak 24. in. diam. bears S. 89. E. 87. lbs. dist. & a Poplar 10. in. diam. bears N. 83. W. 5. lbs. dist.
Sand some Broken & Wet. Bottom on the Branch.
Timber. Oak. & some Poplar.

- East Between Sec. 13. & 24. T. C. S. Co. No. 11. M.
40. 00 To a Post for the Cor. to 1/4 Sec. from which a M. Oak 12. in. diam. bears S. 27. E. 16. lbs. dist. & a M. Oak 16. in. diam. bears S. 81. W. 63. lbs. dist.
43. 50 To Pigeon Creek 2.20. lbs. wide. Course S. 30. W.
Hilly To Pigeon Creek. Jan^y 14th 1806.

- West From the Range Line
34. 50 To the Bank of Pigeon Creek. Timber. Oak. & Hickory
July. 6th 1806.

- South Between Sec. 23. & 24. T. C. S. Co. No. 11. M.
24. 88 To a Branch 8. lbs. wide. Course S. 25. E.

T. C. J. R. N. W. 2nd Mer.

25. 12 To a W. Oak 20. in? diam? stands in the line
 40. 00 Set a Post for the Cor. to $\frac{1}{4}$ Sec. in a Branch 10. lks. wide.
 Course S 40. E.; from which a Poplar 20. in? diam? bears N. 14.
 E. 23. lks. dist? & an R. Oak 12. in? diam? bears S. 10. E. 24. lks. dist?
 62. 50 To an A. Oak 18. in? diam? which stands in the line.
 50. 00 To the mile post set for the Cor. to Sec? 23. 24. 25. & 26.
 from which a W. Oak 16. in? diam? bears S. 19. E. 10. lks. dist?
 & a B. Oak 24. in? diam? bears N. 20. E. 57. lks. dist?
 This mile is Bottom Land Part Mt. B. & W. Oak.
 Poplar. & Hickory Timber.

East Between Sec? 24. & 25. T. C. J. R. N. W.

40. 00 Set a Post for the Cor. to $\frac{1}{4}$ Sec. from which a Gum 8. in? in
 diam? bears N. 50. W. 25. lks. dist? & a W. Oak 16. in? diam? bears
 S. 13. E. 23. lks. dist?
 43. 66 To a Maple on the Bank of Pigeon Creek. Jan^y 14th 1806.

West From the Range line. 6th 1806.

15. 88 To Pigeon Creek; here the Bottom is under water.

South Between Sec? 25. & 26. T. C. J. R. N. W.

15. 50 To a Branch 4. lks. wide. Course S 30. W.
 23. 50 To the Same. " " " " S 30. E.
 36. 00 To a Post on the Bank of the Ohio. from which an R. Oak
 22. in? diam? bears N. 19. W. 11. lks. dist? & an Ash 15. in? diam?
 bears N. 32 $\frac{1}{2}$. E. 25. lks. dist. Jan^y 15th 1806.

West Between Sec? 23. & 26. T. C. J. R. N. W.

5. 88 To a Branch 10. lks. wide. Course S 20. E.
 28. 12 To a B. Oak 20. in? diam? which stands in the line.
 40. 00 Set a Post for the Cor. to $\frac{1}{4}$ Sec. from which a B. Oak 22. in?
 diam? bears S. 68. E. 48. lks. dist? & a B. Oak 22. in? diam?
 bears S. 22. W. 35. lks. dist?
 73. 12 To a B. Oak 18. in? diam? stands in the line.
 80. 00 To the mile Post set for the Cor. to Sec? 22. 23. 26. & 27. from
 which a B. Oak 16. in? diam? bears S. 81. W. 6. lks. dist?

T. No 6. S. Co. N 11. W. 2nd Mer.

Y^a B. Oak 20. in. diam. bears N 16. 1/2. E. 19. lbs. dist.
 Ten Ridges, Y^a land Upland: Timber. Oak & Hickory.

South Between Sec. 26 & 27. T. 6. S. Co. N 11. W.

17. 00 To a W. Oak 18. in. diam. stands in the line
 21. 75 To a Branch 6. lbs. wide; Course W.
 40. 00 Set a Post for the bar to 1/4 Sec. from which a W. Oak
 14. in. diam. bears S. 31. E. 16. lbs. dist. Y^a Poplar 18. in.
 diam. bears S. 39. W. 30. lbs. dist.
 48. 50 To a Branch 30. lbs. wide; Course S. 40. E.
 58. 75 To an R. Oak 24 in. diam. which stands in the line
 63. 62 To a Branch 30. lbs. wide; Course S. 40. W.
 80. 00 A Hickory 8. in. diam. is bar to Sec. 26. 27. 34 & 35
 from which a Gum 22. in. diam. bears N. 30. E. 25. lbs.
 dist. Y^a W. Oak 30. in. diam. bears S. 47. W. 52. lbs. dist.
 This mile is level Bottom & Upland.
 Timber. Oak. Hickory Gum & Sugar.

East Between Sec. 26 & 35. T. 6. S. Co. N 11. W.

8. 25 To a Pond 100. lbs. wide Course S.
 30. 50 To the Same " " " " N 60. W.
 40. 00 Set a Post for the bar to 1/4 Sec. from which a Sugar 12.
 in. diam. bears N. 28. W. 14. lbs. dist. Y^a S. 12. in. diam.
 bears S. 30. W. 14. lbs. dist.
 41. 50 To a Pond 100. lbs. wide. Course S. 50. W.
 64. 58 To a Post on the Bank of the Ohio. from which a Red Oak
 22. in. diam. bears S. 55. W. 62. lbs. dist. Y^a an R. Oak 23 in.
 diam. bears N. 43. W. 56. lbs. dist. Bottom Land.
 Timber. Oak. & Sugar tree.

South Between Sec. 34 & 35. T. 6. S. Co. N 11. W.

16. 00 To a Pond 120. lbs. wide. Course N. 20. W.
 40. 00 Set a 1/4 Sec. Post from which an Ash 10. in. diam. bears N. 55.
 E. 15. lbs. dist. Y^a an Ash 22 in. diam. bears S. 65. E. 34 lbs. dist.
 48. 25 To an R. Oak 24 in. diam. which stands in the line.
 80. 00 To the mile Post x 6 for the bar to Sec. 34 & 35. from which

T. N. C. S. R. P. 11. M. 2nd Mer.

a Sycamore 6. fut. in diam? bears S. 12. E. 21. lks. dist?

Yan Ash 8. in? diam? bears N. 22. E. 7. lks. dist. ~

Bottom Land. some Broken. Timber. Oak. Coplar. Ash & Sugar.

East Town Line Sec. 35. S. side Jun^y 16. 1806.

15. 25 To a Cotton wood. 84. in? diam? stands in the line.

35. 15 To a Maple on the Bank of the Chic. from which a Cottonwood
24. in? diam? bears N. 15. W. 35. lks. dist? Ya Maple 10. in? in
diam? bears S. 45. W. 15. lks. dist? In the Bottom Timber Maple &c.

South Bottom Sec. 2. & 3. T. N. C. S. R. P. 11. M. 2nd Mer. Jan^y 21. 1806.

1. 38 To a B. Oak 22. in? diam? which stands in the line.

38. 50 To a Branch 8. lks. wide; Course S. 70. E.

140. 00 Set a 1/4 Sec. Post from which an Ash 4. in? diam? bears N. 2. W. 25.
lks. dist? Yan Ash 12. in? diam? bears N. 62. E. 46. lks. dist?

110. 05 To a Branch 15. lks. wide. Course S. 65. E.

148. 96 To a B. Oak 30. in? diam? which stands in the line.

72. 75 To a Branch 12. lks. wide; Course S. 50. E.

50. 00 Set a mile Post up for the line to Sec. 2. 3. 10. & 11. from which
a Hickory 12. in? diam? bears N. 26. W. 25. lks. dist? Ya B. Oak
20. in? diam? bears S. 26. E. 45. lks. dist. ~ Saw Bridges & Brush,
some Bottom on the Branches. Timber. Oak & Hickory.

East Bottom Sec. 2. & 11. T. N. C. S. R. P. 11. M. 2nd Mer.

25. 88 To a Branch 15. lks. wide; Course S. 35. E.

38. 50 To a Branch 30 " " " South

39. 65 Set a 1/4 Sec. Post. from which a Gum 16. in? diam? bears N. 14. W.
25. lks. dist? Ya W. Oak 12. in? diam? bears S. 78. E. 61. lks. dist?

79. 30 Intersect of the N. & S. line 30. lks. N. of the Post. set for the line to
Sec. 1. 2. 11. & 12. The first 20. chains is hilly; then flat.
Bottom; Timber. Oak. Hickory. & some Gum.

South Bottom Sec. 3. & 4. T. N. C. S. R. P. 11. M. 2nd Mer.

21. 75 To a Branch 8. lks. wide. Course E.

40. 00 Set a 1/4 Sec. Post. from which a B. Oak 24. in? diam? bears S.
21. W. 47. lks. dist? Ya Gum 8. in? diam? bears N. 59. E. 30. lks. dist?

T. C. S. Co. N. M. W. 2nd Mer.

44. 50 To a Branch 5. lks. wide course S 80. E.
 65. 75 To a B. Oak 24. in? diam? which stands in the line
 80. 00 To the mile Post set for the cor. of Gre? 3. 4. 9. & 10. from
 which a B. Oak 24. in? diam? bears N. 32. E. 114. lks. dist
 & a B. Oak. — in? diam? bears N. 20. W. 29. lks. dist.
 Land Hilky & Brush. Timber. Oak & Hickory.

- East Between Gre? 3. & 10. T. C. S. Co. N. M. W.
 20. 00 To a Branch 5. lks. wide course S 40. E.
 110. 00 To a 1/4 Gre. Post from which an Oc Oak 12. in? diam? bears
 N. 6. W. 31. lks. dist & a W. Oak 12 in? bears S 14 E. 9. lks. dist.
 145. 12 To a Branch 6. lks. wide, course S. 45. lks
 62. 50 To a Branch 10. " " " N. 5 E.
 80. 00 Intersected the N. & S. line at the Post set for the cor. to
 Gre? 2. 3, 10, & 11. Land Hilky; Timber. Oak & Hickory.

- South Between Gre? 10. & 11. T. C. S. Co. N. M. W.
 33. 45 To a Branch 6. lks. wide, course S 30. E.
 38. 58 To a B. Oak 24. in? diam? which stands in the line.
 40. 00 Set a Post for the cor. to 1/4 Gre. from which a B. Oak 30. in?
 diam? bears S 50. W. 39. lks. dist. & a B. Oak 20. in? diam?
 bears N. 66. E. 62. lks. dist.
 50. 45 To a Branch 6. lks. wide, course E.
 69. 50 To a " " " " " E.
 80. 00 Set a mile Post set for the cor. to Gre? 10. 11. 14. & 15. from
 which a Poplar 14. in? diam? bears N. 42. 1/2. W. 22. lks.
 dist & an Oc Oak 20. in? diam? bears S 88 W. 61. lks. dist.
 Hilky Land; Timber. Oak & Hickory. Brushy; Thin Soil.

- South Between Gre? 4. & 5. T. C. S. Co. N. M. W.
 17. 45 To a Hickory 14. in? diam? which stands in the line
 31. 75 To a Branch 12. lks. wide, course N. 60. W.
 40. 00 Set a 1/4 Gre. Post, from which a W. Oak 16. in? diam? bears
 N 43. W. 113. lks. dist & an S. Oak 14 in? bears N 77. W. 32. lks
 114. 50 To a Branch 12 lks wide, course S 35. W.
 73. 75 To a B. Oak 20. in? diam? which stands in the line

T. N. C. S. Co. N. M. W. 3rd Mer.

80. 00 To the Mile Post set for the Cor. to Che? 4. 5. 8 & 9. from
which a B. Oak 22. in? diam? bears N 20. E. 27. lbs. dist?
& a W. Oak 20. in? diam? bears S 55. E. 49. lbs. dist?
Ten Ridges: The 1st. half mile is Onondaga: Timber. Oak. H. H.

East Between Che? 4 & 9. T. C. S. Co. N. M. W. Jan³ 28th 1806.

20. 50 To a Branch 5. lbs. mile: course N.
39. 50 To a Do. 10. " " " " N.
40. 00 To a 1/4 Che. post. from which a W. Oak 12. in? diam? bears
S 9. W. 5. lbs. dist? & an O. Oak 13. in? diam? bears N. 2. W. 36. lbs.
59. 25 To a Branch 6. lbs. mile. Course S 45. W.
80. 00 Intersecting the N. & Y. line 20. lbs. S. of the Post. Cor. of Che?
3. 1. 9. & 10. Ridges. & Rich B. Oak Land. good for wheat,

South Between Che? 9. & 10. T. C. S. Co. N. M. W.

20. 12 To a B. Oak 36. in? diam? stands in the line.
40. 00 To a 1/4 Che. post. from which an O. Oak 22. in? diam? bears N.
10. W. 60. lbs. dist? & a W. Oak 14. in? bears S 70. E. 45. lbs. dist?
64. 00 To a Branch 10. lbs. mile. Course S 45. E.
67. 50 To a Do. 6. " " " " S 40. E.
80. 00 To the Mile Post set for the Cor. to Che? 9. 10. 15. & 16. from
which a W. Oak 12. in? diam? bears N. 54. E. 6. lbs. dist? & a
W. Oak 15. in? diam? bears S 43. W. 30. lbs. dist? Ten B. Oak
& Hackberry Ridges. Some large Rocks. in the Branches.

South Between Che? 5. & 6. T. N. C. S. Co. N. M. W.

4. 16 To a W. Oak 20. in? diam? which stands in the line.
30. 00 Wt. Bottom To the Mile Post.
40. 00 To a 1/4 Che. Post. from which a Birch 10. in? diam? bears
N. 3. 30 W. 20. lbs. dist? & a Birch 12. in? bears S 76. W. 16. lbs. dist?
58. 88 To a W. Oak 20. in? diam? which stands in the line
64. 00 To a Branch 50. lbs. mile. Course S 40 W.
80. 00 To the mile post set for the Cor. of Che? 5. 6. 7. & 8. from
which a Birch 10. in? diam? bears N. 23. W. 13. lbs. dist?
& a Birch 12. in? diam? bears S 38. W. 11. lbs. dist?
Timber. Oak. Elm. Maple. Poplar & Birch.

T. N. C. S. R. N. M. W. ^{2nd} Mer.

- East Between Sec? 5. & 8. T. N. C. S. R. N. M. W.
 5. chains of wet Bottom.
 26. 00 To a Branch 12. lbs. wide. Course N.
 40. 00 Set a $\frac{1}{4}$ Sec. Post from which a W. Oak 12. in? diam? bears
 N. 89. W. 25. lbs. dist? To W. Oak 10. in? bears S. 16. E. 23. lbs. dist?
 71. 00 To a Brook 5. lbs. wide. Course N. 50. W.
 80. 00 Intersecting the N. & S. line at the Post set for the Cor. to
 Sec? 1. 5. 8. & 9. Low Land. Timber. W. & B. Oak & Hickory.
-

- South Between Sec? 8. & 9. T. N. C. S. R. N. M. W.
 3. 20 To a Brook 1. lbs. wide. Course N. 60. W.
 40. 00 Set a $\frac{1}{4}$ Sec. Post, from which a W. Oak 12. in? diam? bears
 S. 60. W. 22. lbs. dist? To W. Oak 14. in? diam? bears S. 52
 E. 13. lbs. dist?
 41. 00 To a Branch 6. lbs. wide. Course N. 80. W.
 51. 62 To a Do - 8. " " " " N. 45. W.
 62. 40 To a W. Oak 16. in? diam? which stands in the line.
 80. 00 To the mile Post set for the Cor of Sec? 8. 9. 16. & 17
 from which a Poplar 12. in? diam? bears N. 46. E. 23. lbs.
 dist? To B. Oak 22. in? diam? bears S. 54. W. 13. lbs. dist?
 Oak & Hickory Ridges.
-

- West Between Sec? 6. & 7. T. N. C. S. R. N. M. W.
 20. 00 To a Branch 50. lbs. wide. Course S. 60. W.
 40. 00 Set a $\frac{1}{4}$ Sec. Post from which an B. Oak 13. in? diam? bears
 N. 69. E. 20. lbs. dist? To W. Oak 16. in? bears S. 76. E. 35. lbs. dist?
 71. 00 To a Branch 12. lbs. wide. Course S. 20. W.
 80. 00 To high B. Oak Land.
 91. 75 To a B. Oak 18. in? diam? which stands in the line.
 114. 50 Intersecting the Range line 195. lbs. N. of the Post. Set
 a Post from which a W. Oak 23. in? diam? bears S. 50. E.
 56. lbs. dist? To B. Oak 34. in? diam? bears N. 42. E. 57.
 lbs. dist. The 1st. 80 chains is low Land; pure Wet.
 Timber. Maple. Elm. Oak & Birch.
-

- South Between Sec? 7. & 8. T. N. C. S. R. N. M. W.

T. N. C. S. Co. N. M. W. 2nd Mer

114. 50 To high. Oak Land.
18. 38 To a Branch 3. lks. wide; course W.
35. 45 To a B. Oak 22. in. diam. which stands in the line.
40. 00 Set a Post for the bar to $\frac{1}{4}$ Sec. from which a Hickory 13. in. diam. bears S. 77. W. 15. lks. dist. & a W. Oak 7. in. in diam. bears N. 15. E. 26. lks. dist.
70. 00 To a Branch 10. lks. wide; course W.
80. 00 To the Mile Post set for the bar to Sec. 7. & 17. & 18. from which a No. Oak 12. in. diam. bears N. 8. W. 17. lks. dist. & a B. Oak 10. in. diam. bears N. 70. E. 46. lks. dist.
- Low Ridges. some Bottom on the Branches. Oak & Hickory.

- West Between Sec. 7. & 18. T. N. C. S. Co. N. M. W.
114. 09 To a Brook 10. lks. wide. course N. 20. W.
39. 75 To a Brook 6. " " " N. 20. W.
110. 00 Set a Post for the bar to $\frac{1}{4}$ Sec. from which a No. Oak 12. in. diam. bears N. 23. W. 20. lks. dist. & a W. Oak 12. in. diam. bears S. 40. E. 21. lks. dist.
61. 55 To a B. Oak 20. in. diam. which stands in the line.
91. 00 Wet Bottom to the line.
114. 85 Intersected the N. Orange line 4. 50. lks. N. of the Post. & set a Post. from which a Sapras 13. in. diam. bears S. 16. E. 25. lks. dist. & a Gum 14. in. diam. bears N. 53. E. 21. lks. dist. Oak & Hickory timber on the Upland. & Oak, Poplar, Gum & Ash on the Bottom.

- East Between Sec. 8. & 17. T. N. C. S. Co. N. M. W.
60. 65 To a Branch 6. lks. wide; course N.
40. 00 Set a Post for the bar to $\frac{1}{4}$ Sec. from which a Hoopwood 20. in. diam. bears S. 45. E. 27. lks. dist. & an Ash 15. in. in diam. bears N. 27. W. 18. lks. dist.
40. 50 To a Brook 10. lks. wide. course N. 85. W.
70. 88 To a " 6 " " " S. 50. W.
80. 00 Intersected the N. & S. line 10. lks. S. of the Post set for the bar to Sec. 8. 9. 16. & 17. T. N. C. S. Co. N. M. W. 2nd Mer.
- Land level. Part Bottom. Timber. Oak, Ash, &c. Jan. 29th 1806.

T. N. C. S. R. N. 11. W. 2nd Mer.

- East Between Sec? 9. & 16. T. N. C. S. R. N. 11. W.
27. 25 To a Branch 10. lks. wide. Course S. 40. W.
40. 50 Set a Post for the Cor. to 1/4 Sec. from which a W. Oak 13. in? in diam? bears S. 31. W. 6. lks. dist? & a W. Oak 10. in? diam? bears N. 70. E. 18. lks. dist?
61. 20 To a Branch 4. lks. wide. Course South.
81. 00 Intersected the E. & S. line at the Post Cor of Sec? 9. 10. 15. & 16. Land Hilley. Timber. Oak. Hickory & some Poplar.

- East Between Sec? 10. & 15. T. N. C. S. R. N. 11. W.
11. 25 To a Branch 10. lks. wide. Course S. 40. E.
39. 50 Set a Post for the Cor. to 1/4 Sec. from which a Poplar 12. in? diam? bears N. 76. W. 18. lks. dist? & a Do 8. in? S. 79. E. 24. lks.
79. 00 Intersected the N. & S. line. 120. lks. N. of the Post - Land Hilley. Timber. Oak. Hickory. & some Poplar.

- East Between Sec? 11. & 14. T. N. C. S. R. N. 11. W.
34. chains Hilley.
34. 00 Through level Bottom of a place to the Post & mostly Oak.
40. 00 Set a Post for the Cor. to 1/4 Sec. from which a W. Oak 20. in? in diam? bears N. 73. W. 11. lks. dist? & a W. Oak 10. in? diam? bears S. 5. E. 20. lks. dist?
53. 50 To the Post Road.
66. 00 To a Branch 50. lks. wide. Course S. 20. W.
80. 00 Intersected the N. & S. line at the Post set for the Cor. to Sec? 11. 12. 13. & 14. Timber. Oak & Hickory. some Poplar. Elm & Gum. came on the Branch.

- South Between Sec? 14. & 15. T. N. C. S. R. N. 11. W.
18. 88 To a Branch 10. lks. wide; Course S. 45. E.
23. 62 To a B. Oak 22. in? diam? which stands in the line.
36. 25 To a Branch 5. lks. wide; Course S. 60. E.
40. 00 Set a Post for the Cor. to 1/4 Sec. from which a W. Oak 20. in? diam? bears S. 21. E. 19. lks. dist? & a W. Oak 16. in? diam? bears N. 40. W. 45. lks. dist?
34. 25 To a W. Oak 14. in? diam? which stands in the line.

T. N. M. S. R. N. M. W. 2nd Mer.

50. 01 To the Mile Post set for the cor. of Secs. 14. 15. 22. & 23.
from which a W. Oak 20. in? diam? bears S 34. E. 35. lbs. dir?
Jan R. Oak 22. in? diam? bears N. 54. W. 25 lbs. dir?
Hilly Land. Timber. Oak & Hickory.

- Course Between Secs. 14. & 23. T. C. S. R. N. M. W.
1. 75 To a Branch 6. lbs. wide. course S. 45 W.
14. 50 To the Post Road.
39. 80 Set a 1/4 Sec. Post from which an Elm 12. in? diam? bears N. 15.
W. 18. lbs. dir? & a B. Oak 16. in? diam? bears N 83. E. 40. lbs. dir?
41. 25 To a Branch 6. lbs. wide. course S. 30. W.
79. 60 Intersecting the N. & S. line at the 50. lbs. N. of the Post set
for the cor. to Secs. 13. 14. 23. & 24 Low Ridges. Timber.
W. & B. Oak. Hickory. Good Land for Wheat.

- South Between Secs. 15. & 16. T. C. S. R. N. M. W.
110. 00 Set a Post for the cor. to 1/4 Sec. from which a W. Oak 22. in? in
diam? bears S. 72. E. 84. lbs. dir? & a W. Oak 22. in? diam?
bears S. 46. W. 46. lbs. dir?
43. 25 To a Branch 5. lbs. wide. course S. 40. W.
46. 94 To a Hickory 14. in? diam? stands in the line.
80. 00 To the Mile Post cor. to Secs. 15. 16. 21. & 22. from which a
W. Oak 24. in? diam? bears S. 77. E. 19. lbs. dir? & a W. Oak
23. in? diam? bears N. 77. E. 28. lbs. dir? Low Ridges;
Timber. Oak & Hickory. Good Land for Wheat.

- South Between Secs. 16. & 17. T. N. C. S. R. N. M. W.
12. 25 To a Branch 6. lbs. wide. course N. 50. W.
21. 45 To a B. Oak 21. in? diam? which stands in the line
39. 62 To a Branch 6. lbs. wide. course 30. W.
40. 00 Set a Post for the cor. to 1/4 Sec. from which a W. Oak 10.
in? diam? bears S. 61. E. 14. lbs. dir? & a W. Oak 16. in? in
diam? bears S. 63. W. 41. lbs. dir?
68. 50 To a Branch 12. lbs. wide. course. S. 30. E.
72. 25 To a Branch 8. " " " S. 20. W.
70. 00 To a Rock 33. lbs. high. fronting the N. W. of Range.

T. C. S. R. N. M. 2nd Mv.

118. 00 To a Branch 3. lks. wide; Course N. 45. E.
 80. 00 Intersected the N. & S. line at the Port set for the Cor to Sec?
 16. 17. 20. & 21. ~ Low B. Oak Ridges. Good Land.

East Between Sec? 16. & 21. T. C. S. R. N. M. M.

22. 00 To a Branch 10. lks. wide. Course S.
 40. 00 Set a Port for the Cor to 1/4 Sec. from which a Gum 8. in.
 diam. bears S. 89. E. 6. lks. dist. & a Gum 7. in. diam. bears N. 3. lks.
 59. 50 To a Branch 12. lks. wide. Course S. 30. W.
 78. 00 To a D. 6. " " " S.
 80. 00 Intersected the N. & S. line 1.50. lks. N. of the Port.
 Low Ridges. Timber. Oak. & Hickory.

East Between Sec? 15. & 22. T. C. S. R. N. M. M.

25. 25 To a Branch 6. lks. wide. Course S.
 40. 00 Set a Port for the Cor. to 1/4 Sec. from which a Poplar. 12.
 in. diam. bears N. 67. E. 28. lks. dist. & a Gum 12. in. diam.
 bears S. 35. E. 28. lks. dist.
 111. 88 To a Branch 20. lks. wide. Course S. 40. W.
 80. 00 Intersected the N. & S. line at the Port set for the Cor. to
 Sec? 14 15. 22. & 23. Land Healthy. Timber. Oak. & Hickory.

South Between Sec? 22. & 23. T. C. S. R. N. M. M.

6. 50 To a Branch 6. lks. wide; Course S. 30. W.
 28. 75 To the Port Road.
 40. 00 Set a Port. for the Cor. to 1/4 Sec. from which a B Oak 24
 in. diam. bears N. 27. W. 28. lks. dist. & a M Oak 13 in.
 diam. bears S. 24 W. 27. lks. dist.
 67. 50 To a Branch 7. lks. wide; Course S. 60. W.
 80. 00 To the Mile port set for the Cor. to Sec? 22. 23. 26. & 27.
 This mile is low Ridges. Timber. Oak. & Hickory.

South Between Sec? 21. & 22. T. C. S. R. N. M. M.

20. 62 To a M. Oak 18. in. diam. stands in the line.
 24. 75 To a Branch 12. lks. wide; Course S. 15. E.
 30. 88 To a Branch 20. " " " S. 60. E.

T. N. C. S. R. N. M. W. 2nd Mer.

40. 00 Get a Post for the Gir. to $\frac{1}{4}$ Sec. from which a W. Oak 18. in? diam? bears South 33. lbs. dist? & a W. Oak 10. in? diam? bears S. 44. E. 33. lbs. dist?
70. 00 To a Branch — lbs. wide. course S. 50. E.
80. 00 To the Mile Post for the Sec? 21. 22. 27. & 28. from which a Gum 10. in? diam? bears N. 36. W. 44. lbs. dist? & a Gum 12. in? diam? bears N. 28. E. 24. lbs. dist?
- Low Bridges: some Bottom on the Branches. Timber Oak. Hickory. Gum & Poplar. & some Sugar tree.

- South Between Sec? 20. & 21 T. N. C. S. R. N. M. W.
5. 50 To a Branch 6. lbs. wide: course S. 30. E.
40. 00 Get a Post for the Sec? to $\frac{1}{4}$ Sec. from which an Ash 12. in? diam? bears N. 36. W. 13. lbs. dist? & a B. Oak 21 in? in diam? bears N. 44. E. 22. lbs. dist?
47. 00 To a Branch 12. lbs. wide: course S. 70. E.
62. 26 To an W. Oak 21 in? diam? stands in the line.
80. 00 To the Mile Post set for the Sec? 20. 21. 28. & 29. from which a W. Oak 14. in? diam? bears N. 25. W. 10. lbs. dist? & a W. Oak 12 in? diam? bears N. 71. E. 17. lbs. dist?
- Low Bridges: Timber. Oak & Hickory: Good for Wheat

- South Between Sec? 19. & 20. T. N. C. S. R. N. M. W.
21. 45 To a B. Oak 22 in? diam? which stands in the line.
24. 55 To a Branch 10. lbs. wide: course S. 60. W.
40. 00 Get a Post for the Sec? to $\frac{1}{4}$ Sec. from which a W. Oak 12 in? diam? bears S. 76. W. 21. lbs. dist? & an Ash 6. in? diam? bears S. 50. E. 19. lbs. dist?
59. 38 To a Branch. lbs. wide: course N. 70. W.
64. 75 To a W. Oak 30. in? diam? stands in the line.
80. 00 To the Mile Post set for the Sec? 19. 20. 29. & 30. from which a Gum 12. in? diam? bears S. 32. E. 11. lbs. dist? & a Gum 12 in? diam? bears S. 84. W. 12. lbs. dist?
- Low Bridges, Timber. Oak. Gum. & Hickory. Jun^y 31st 1806.

West Between Sec? 19. & 30. T. N. C. S. R. N. M. W. Jan^y 31st 1806

T. M. C. S. R. N. M. W. 2nd Mer.

10. 40 To a Branch 12. lks. wide. Course N. 40. W.
 20. 10 To a W. Oak 14. in? diam? which stands in the line
 31. 50 To a Branch 12. lks. wide. Course N. 20. W.
 40. 00 Set a Post for the bar to 1/4 Sec. from which an W. Oak 16. in? diam? bears S. 15. W. 12. lks. dist & an W. Oak 12. in? diam? bears S. 40. E. 28. lks. dist
 76. 00 To a Branch 10. lks. wide. Course S. 40. W.
 113. 75 Intersecting the West Range line 8. 96 lks N. of the Post. & set a Post. from which an Elm 6. in? diam? bears S. 26. E. 13. lks. dist & an Elm 8. in? diam? bears N. 54. E. 9. lks. dist
 Ten Ridges; some wet Bottom. Timber. Oak. & Hickory.

- East Between Sec? 20. & 29. T. M. C. S. R. N. M. W.
 14. 00 To a Branch 8. lks. wide. Course S. 70. W.
 40. 00 Set a 1/4 Sec. Post from which a W. Oak 20. in? diam? bears West 29. lks. dist & a Hickory 12. in? diam? bears N. 65. E. 14 lks.
 80. 00 Intersecting the N. & S. line at the Post set for the bar to Sec? 20. 21. 28. & 29. Timber Low. B. & W Oak. & Hickory
 Good Land for Wheat.

- East Between Sec? 21. & 28. T. M. C. S. R. N. M. W.
 24. 00 To a Branch 6. lks. wide. Course S.
 39. 85 Set a Post for the bar to 1/4 Sec. from which a W Oak 16. in? diam? bears N 36. E. 24. lks. dist & a Gum 12. in? diam? bears S. 55. E. 12. lks. dist
 43. 12 To a Branch 10. lks. wide. Course N. 35. E.
 79. 70 Intersected the N. & S. line 110. lks N. of the Post set for the bar to Sec? 21. 22. 27. & 28. Ten Ridges. Oak. & Hickory.

- East Between Sec? 22. & 27. T. M. C. S. R. N. M. W.
 10. 00 Set a Post for the bar to 1/4 Sec. from which a W. Oak 18. in? diam? bears N. 58. 1/2. E. 13. lks. dist & a Gum 15. in? in diam? bears N. 22. W. 8. lks. dist
 42. 00 To a Branch 10 lks. wide. Course S.
 80. 00 Intersected the N. & S. line 2. 00 lks. N. of the Post. 36. ch? isilly then. wet Bottom to the mile Post. Oak. Maple. Elm. & Hickory

T. N. C. S. Co. N. M. M. 2nd. Sec.

- South Between Sec? 27. & 28. T. N. C. S. Co. N. M. M.
37. 00 To a Poplar 20 in? diam? which stands in the line.
40. 00 Set a Post for the cor. to 1/4 Sec. from which a Gum 12 in? diam? bears S. 28. E. 58. lks. dist? & a B. Oak 28 in? diam? bears N. 31. W. 61. lks. dist?
49. 00 To a B. Oak 22 in? diam? stands in the line.
52. 00 To a Branch 8 lks. wide. Course S. 40. W.
80. 00 Set a Mile Post for the cor. to Sec? 27. 28. 33. & 34. from which a W. Oak 20 in? diam? bears N. 37. W. 12. lks. dist? & a W. Oak 18 in? diam? bears N. 61. E. 11. lks. dist?

- South Between Sec? 28. & 29. T. N. C. S. Co. N. M. M.
14. 50 To a Branch 6 lks. wide. Course S. 30. E.
40. 00 Set a Post for the cor. to 1/4 Sec. from which a W. Oak 12 in? diam? bears S. 51. W. 20. lks. dist? & a W. Oak 12 in? diam? bears S. 49. E. 29 lks. dist?
60. 18 To a W. Oak 16 in? diam? which stands in the line.
62. 50 To a Branch 14 lks. wide. Course S. 50. E.
64. 50 Cliffs of Rocks of this and kind.
80. 00 To the Mile Post set for the cor. of Sec? 28. 29. 32. & 33. from which a B. Oak 16 in? diam? bears S. 49. E. 21. lks. dist? & a W. Oak 12 in? diam? bears N. 43. W. 65. lks. dist?
- Land Hilky. Timber. Oak. Poplar. Gum. & Hickory.

- South Between Sec? 29. & 30. T. N. C. S. Co. N. M. M.
4. 75 To a Branch 10 lks. wide. Course S. 60. W.
24. 00 To a " " " " " W.
40. 00 Set a Post for the cor. to 1/4 Sec. from which a B. Oak 30 in? diam? bears N. 5. E. 20. lks. dist? & a Hickory 10 in? diam? bears S. 79. E. 23. lks. dist?
50. 80 To a Branch " lks. wide. Course S. 40. W.
59. 95 To a B. Oak 20 in? diam? which stands in the line.
80. 00 To the Mile Post set for the cor. to Sec? 29. 30. 31. & 32. from which a W. Oak 18 in? diam? bears S. 71. E. 33. lks. dist? & a W. Oak 18 in? diam? bears N. 40. W. 70. lks. dist?
- Land Ridges. Timber. Oak. & Hickory.

T. M. C. I. Co. N. 11 M. 2nd Mer.

- West Between Sec^s 30 & 31. T. M. C. I. Co. N. 11 M.
5. 00 To a Branch 6. lks. wide. Course S. 30. E.
40. 00 Set a Post for the corner to 1/4 Sec. from which a B. Oak 22. in? diam? bears S. 14. E. 7 lks. dist? & a W. Oak 15. in? diam? bears S. 24. W. 37. lks. dist?
78. 00 To a Branch. 6. lks. wide. Course N. 45. W.
79. 75 To a B. Oak 22. in? diam? which stands in the line.
1. 14. 20 Intersected the West Range line 9. 90. lks. N. & set a Post from which a B. Oak 28. in? diam? bears S. 56. E. 88. lks. dist? & a Dogwood 7 in? diam? bears N. 7. E. 49. lks. dist?
- See Bridges; Timber. Oak. & Hickory. Feb. 1st 1806.

- East Between Sec^s 29 & 32. T. M. C. I. Co. N. 11 M.
9. 00 To a Branch 6. lks. wide. Course S.
14. 50 To a Branch 5. " " " S.
26. 50 To a Branch 6. " " " S.
40. 00 Set a Post for the corner to 1/4 Sec. from which a B. Oak 20. in? diam? bears N. 36. E. 33. lks. dist? & a B. Oak 30. in? diam? bears S. 53. W. 44. lks. dist?
50. 00 To a Branch 8. lks. wide. Course S. 20. E.
56. 50 To a " 6. " " " S. 30. W.
80. 00 Intersected the N. & South line at the Post set for the corner to Sec^s 28. 29. 32. & 33. Land Holly. Timber. Oak. & Hickory. Some large Rocks on the Branches.

- South Between Sec^s 31 & 32. T. M. C. I. Co. N. 11 M.
13. 75 To a Branch 8. lks. wide; Course S. 30. E.
40. 00 Set a Post for the corner to 1/4 Sec. from which a Gum 7 in? diam? bears N. 77. E. 21. lks. dist? & a Hickory 12. in? in " " N. 18. W. 25. " "
75. 62 To a B. Oak 22. in? diam? stands in the line.
89. 12 Intersected 3. 95. lks. E. of the Post. Set a Post from which a B. Oak 18. in? diam? bears N. 32. W. 24. lks. dist? & a B. Oak 20. in? diam? bears N. 60. E. 62. lks. dist?
- See Land. Timber. W. & B. Oak. & Hickory.

T. N. C. S. R. N. M. W. 2nd Mer.

- East Between Sec? 28 & 33. T. N. C. S. R. N. M. W.
 00. 38 To a Branch 6. lks. wide. Course N. 85. E.
 5. 00 To the Same " " " " S. 30. E.
 39. 75 Set a 1/4 Sec. Post from which an O. Oak 30. in? diam? bears
 N. 72. E. 32. lks. dist? & a W. Oak 14 in? bears S. 80. E. 30. lks. dist?
 61. 00 To Bottom to the Mile Post.
 73. 50 To a Branch 20. lks. wide. Course S. 30. E.
 74. 50 Intersecting N. & S. line 150. lks. N. of the Post. Cor of the
 Sec? 27. 28. 33. & 34. Low Ridges. Oak & Hickory.
-

- South Between Sec? 32. & 33. T. N. C. S. R. N. M. W.
 7. 14 To a W. Oak 16. in? diam? stands in the line
 40. 00 Set a 1/4 Sec. Post, from which an Ash 7. in? diam? bears S. 7.
 E. 14. lks. dist? & a Poplar 14. in? diam? bears S. 69. W. 19. lks. dist?
 46. 88 To a W. Oak 20. in? diam? which stands in the line
 66. 75 To a Branch 6. lks. wide. Course S. 60. W.
 88. 90 Intersecting the R. line 2. 86. lks. E. of the Post. Set a Post
 from which a Poplar 10. in? diam? bears N. 8. W. 24. lks. dist?
 & a Gum 7. in? diam? bears N. 31. E. 26. lks. dist?
 Land. Hilty. Timber. Oak. & Hickory & Poplar.
-

- East Between Sec? 27. & 34. T. N. C. S. R. N. M. W.
 20. chains level upland.
 13. 00 To a Branch 8. lks. wide. Course S.
 40. 00 Set a Post for the Cor to 1/4 Sec. from which an Ash 7. in?
 diam? bears S. 57. E. 30. lks. dist? & a Hickory 10 in? diam?
 bears N. 79. E. 27. lks. dist?
 55. 00 Broken Bottom To the Mile Post.
 63. 50 To the Post Road.
 78. 00 To a Branch 40. lks. wide. Course S. 60. W.
 8000 Intersected the N. & S. line 120. lks. N. of the Post set
 for the Cor. to Sec? 26. 27. 34. & 35. Low Ridges.
 Timber. Oak. & Hickory, Gum. Ash. & Poplar in the Bottom
-

- South Between Sec? 33. & 34. T. N. C. S. R. N. M. W.
 6. 75 To a W. Oak 36. in? diam? which stands in the line

J. M. C. J. C. N. W. 2nd Mer.

17. 50 To a Branch 25. lks. wide. Course S. 40. E.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Sugar 14. in.
 diam? bears N. 81. E. 37. lks. dir? Ya Sugar 16. in? diam?
 bears S. 41. E. 46. lks. dir?
 67. 62 To a W. Oak 22. in? diam? stands in the line.
 83. 20 Intersected 131 lks. E. of the Post. Set a Post from which
 a Poplar 13. in? diam? bears N. 70. W. 7. lks. dir? & a Hick
 16. in? diam? bears N. 64. E. 35. lks. dir? Set to the
 Branch. then hilly Timber Oak Poplar. Sugar & Hickory.
 Feb^y 2nd 1806.

Meanders of the Chic. from the End of the Town line
 Sec. 2. & 35. Turns 6. & 7. up the River.

- | Course. | Dist | |
|--------------|---------|--|
| N. 43. E | 17. 00 | |
| N. 26. E | 10. 43 | |
| N. 1. E | 4. 29 | |
| N. 17. E | 5. 00 | |
| N. 25. 30 E | 25. 72 | |
| N. 15. E | 7. 58 | |
| N. 9. W. | 13. 96 | To a Post Between Sec? 26. & 35. |
| N. 3. E | 12. 22. | |
| N. 17 1/2 E | 10. 41 | |
| N. 15. E | 9. 54 | |
| N. 24 E | 8. 41 | |
| N. 36. 1/2 E | 6. 36 | |
| N. 17 1/2 E | 2. 07 | To a Post Between Sec? 25. & 26. |
| N. 47 1/2 E | 11. 55 | Passing the mouth of a Branch 8. & 10 lks. wide.
Hounds. North. |
| N. 57 1/2 E | 11. 44 | |
| N. 69 1/2 E | 11. 93 | |
| N. 80. E | 14. 66 | |
| N. 84 1/2 E | 10. 12 | To the Mouth of Big Pigeon N 13. E. 3. 64. lks. |
- Feb^y 5th 1806.

T. No 6 S. R. No 11 N. 2nd Mer. Ind.

Meanders of the Ohio from the Range line down
to the Mouth of Ligon Creek.

Course. Dist.

N 64 1/2 W. 11. 45.

N 80. W. 7. 38

West 5. 10 To the Mouth of Ligon Creek.

Observations across the Mouth of Ligon. N. 84 W.
To a Tree in the W. Bank N. 4 1/2 E. 1. 75. S. 66 W. to the
same Tree. Feb. 6. 1806.

Observations across the Ohio at a Post Between Sec. 26 & 35.
S. 86 E. to a Tree on the Side of the River. N. 4 W. 8. 03. Thence S.
70 E. to the same Tree.

South Range line E. side of Sec. 24. S. 6. S. N. 11. W.

7. 54 To a W. Oak 14 in. diam. which stands in the line.

40. 00 To a 1/4 Sec. Post from which an R. Oak 30 in. diam. bears S. 51.

E. 23. lbs. dist. 1/4 Gum 12 in. diam. bears S. 3. E. 36. lbs. dist.

41. 65 To a Branch 4 lbs. wide. course W.

46. 00 To a R. Oak 22 in. diam. stands in the line

68. 31 To a Branch 6 lbs. wide. course W.

80. 00 To the mile post set for the top of Sec. 24 & 25 from which
a Poplar 18 in. diam. bears N. 61 W. 56. lbs. dist. 1/4 W. Oak 12
in. diam. bears S. 47 1/2 W. 56. lbs. dist. Oak. Poplar. 1/2 Hick. 2. Post.

South On the Range on the Boundary of Sec. 25.

2. 54 To a Poplar 18 in. diam. which stands in the line.

7. 00 To a Branch 6 lbs. wide. course W.

20. 63 To a Locust 6 in. diam. standing on the Bank of the Ohio from
which a W. Oak 6 in. diam. bears S. 63 W. 8. lbs. dist. 1/4
W. Oak 13 in. diam. bears S. 72 E. 37. lbs. dist.

Post. Sand. Timber. Oak. & Poplar.

Observations across the Ohio from the end of the Range
line Between Ranges. 10 & 11 & Sec. 25 & 30. S. 27 W. to a
Tree on the S. side of the River. N. 64 1/2 W. 11. 45. S. 12. 20.
W. to the same Tree.

Surveyed by Jacob Fowler. D. S.

469

T. No 6. T. R. No 91 W. 2nd Mer Ind.

~~I certify that the foregoing transcript of the
Field notes of Township No 6. South of Range
No 11 West of the 2nd Mer. Indiana, has been
Compared with the Original notes in this Office
and found to be correct:
Surveyor General's Office,
Cincinnati, Dec. 15th 1839~~

North Boundary.

Var.

West Qu. S. Boundary of Sec 36. T. 5. S. R. 11. W.
18.18 A Branch 10 lks wide Course S 50 W,
40.00 Set of the Post from which
Ascend 13 in dia B P N 30 E 15 lks +
An ash 12 " " " S 59 W 40 " ,
49.00 A Post Road ,
72.50 A Branch 40 lks wide Course S 10. W,
80.00 Set Post from which
An R. Oak 28 in dia B P N 42 1/2 E 70 lks +
A DO 23 " " " N 11 W 88 " ,
Land Level part Met. Timber
Oak, Elm + Hickory.

West Qu. S. Boundary of Sec 35. T. 5. S. R. 11. W.
26.00 A Branch 30 lks wide Course S. 40 E.
Crossing it 5 times, leaving it on
the N. at 36 ch? up said Branch.
40.00 Set of the Post from which
An R. Oak 23 in dia B P S 39 E 8 lks +
A Maple 10 " " " N 11 W 20 " ,
80.00 Set post Cor to Sec 35 + 34 from which
A Hickory 12 in dia B P S 17 E 26 lks +
A DO 8 " " " N 34 E 12 " ,
Land Brushy some Bottom.
Timber Elm, Oak + Hickory.

F. C. S. R. 11. W. 2^a Mer Lina^a
ch. LKS.

West Qu. S. Boundary of Sec 34, F. S. R. 11. W.

40.00 Set of Sec Post. from which

an Oak 8 in dia b^p N 31 W 7 LKS +

a do 6 " " " S 28 W 16 " ,

40.68 A Branch 6 LKS wide furse S. 30 E.

45.62 a do 8 " " " South.

80.00 Set post Co. to Sec 33 + 34 from which

an Oak 14 in dia b^p N 50 W 15 LKS +

a do 18 " " " S 76 W 28 " ,

Land level + Brushy.

West Qu. S. Boundary of Sec 33, F. S. R. 11. W.

40.00 Set of Sec Post from which

an Hickory 7 in dia b^p S 79 1/2 W 13 LKS +

an Elm 6 " " " S 28 W 8 " ,

80.00 Set post for to Sec 32 + 33. from which

a Poplar 18 in dia b^p N 52 W 11 LKS +

a do 18 " " " N 53 E 30 " ,

Low Barren + Brushy Ridges

West Qu. S. Boundary of Sec 32, F. S. R. 11. W.

39.50 A Branch Course N 45 W.

40.00 Set of Post from which an ash 12

in dia b^p S 43 W 28 LKS + a Hoop pine 8

" " " S 47 E 69 " . This post in

Branch Course S. 60 W.

79.35 a do " " S 20 E. 20 LKS wide.

80.00 Set post from which

an Oak 15 in dia b^p N 73 W 5 LKS +

a do 22 " " " S 46 E 19 " ,

Low Ridges. Some Bottom, on the
Branches. Oak + Hickory.

West S. Boundary of Sec 31, F. S. R. 11. W.

40.00 Set of Sec Post from which

an Oak 24 in dia b^p S 81 W 44 + an Oak 26 N 4 W 12.

F. C. S. R. 11. W. 2^a Mer Land^a

ch. S. Ks.

45.90 A Branch 8 Ks wide Course S 45 E,
 72.00 A do do " " " S 30 E,
 113.88 Intertect Range line N. of Post.

Jan'y. 10. 1806.

Jacob Fowler S. S.

West. Boundary,

Van.

South A. C. Boundary of Sec 1, F. C. S. R. 12 W.

70 A. B. Gum 18 in dia,

40.00 Set $\frac{1}{4}$ Post from which

A. Oak 24 in dia W P S 82 W 29 CKS

A. Gum 9 " " " S 70 E 36 "

48.50 A Red Oak 24 " " "

80.00 Set Post Cor to Sec 1 & 12 from which

A. Oak 24 in dia W P S 82 W 5 CKS

A. R. " 18 " " " S 30 W 71 "

Land Rolling & Hilly. Fertile Soil.
 Timber Oak. Hickory. Gum &c.

South A. C. Boundary of Sec 12, F. C. S. R. 12 W.

40.00 Set $\frac{1}{4}$ Sec Post from which

A. Oak 9 in dia W P S 66 W 14 CKS

A. do 12 " " " S 66 E 36 "

64.50 A Beech 12 " " "

65.00 A Pond 40 Ks wide Course S. W.

73.50 A Hick 50 " " " S. W.

80.00 Set Post Cor to Sec 12 & 13 from which

A Red Oak 30 in dia W P S 62 W 65 CKS

A. R. " 14 " " " S 57 W 59 "

Land generally level. Some Bottom
 on Creek. Balance thin Soil. Timber &c.

South A. C. Boundary of Sec 13, F. C. S. R. 12 W.

October 2^a 1805.

T. C. S. R. 11. 78. 2^a Mer Surd^a,
ch. SKD.

20.83 A Hickory 13 in dia,
40.00 Set of the Post from which
A B. Gum 22 in dia bP N 85° 78' 27' W
A B Oak 11 " " " N 48 1/2° E 47 " ,
58.00 A B. Gum 14 " " ,
80.00 Set Post for to Sec 13 & 24 from which
A B. Gum 22 in dia bP S 50° 78' 29' W
A Hickory 10 " " " N 25° 78' 29 " ,
Land at the N. End level. the
Balance Hilly thin Soil.

South A. E. Boundary of Sec 24, T 64, R 12 W,

16.50 A Hickory 22 in dia,
40.00 Set of the Post from which
A Jack Oak 8 in dia bP S 64° 78' 30' W
A Hickory 12 " " " N 24° E 17 " ,
64.14 A Bk. Oak 14 " " ,
80.00 Set Post for to Sec 24 & 25 from which
A Hickory - in dia bP N 49° 78' 12' W
A Sweet Gum 30 " " " S 54° 78' 83 " ,
Land as Same.

South A. E. Boundary of Sec 25, T 64, R 12 W,

.12 A Branch 15 LKS wide Course S. 78,
27.25 A Hickory 24 in dia,
40.00 Set of the Post from which
An Elm 24 in dia bP N 70° 78' 26' W
A B Gum 9 " " " S 70° 78' 18 " ,
74.00 A B. Oak 20 " " ,
80.00 Set Post for to Sec 25 & 36 from which
A Hickory 10 in dia bP N 11 1/2° 78' 35' W
A DO 9 " " " S 48 1/2° 78' 57 " ,
Land as Same.

South A. E. Boundary of Sec 36, T 64, R 12 W,

T. C. S. R. 11. 77. 2^a Mer Ind
 40.00 Set of the Post from which
 a B. Gum 12 in dia W 8 7/8 77 28 1/2
 a Red Oak 10 " " " N 88 1/2 E 33 "
 50.70 a Hickory 15 " " "
 80.00 Set of the Post from which
 a Red Oak 28 in dia W 15 7/8 77 8 1/2
 a Poplar 30 " " " S 45 W 83 "
 Land & Sann, some Hills,
 Wm Rector, D.S.

Surveyor General's Office,
 Detroit April 23. 1846.

I hereby certify that
 the foregoing Transcript of the field
 notes of Township 6 S. Range 11 W.
 of 2^a Mer, Ind has been com-
 pared with the original notes in this
 Office & found to be correct.

Wm. Rector.